

The Kärcher logo is positioned at the top center of the image. It consists of the word "KÄRCHER" in a bold, white, sans-serif font, set against a solid yellow rectangular background. The background of the entire advertisement is a photograph of a warehouse interior. On the left, there are tall, industrial metal shelving units filled with cardboard boxes. In the center, a worker wearing an orange safety vest is operating a Kärcher ride-on floor scrubber. The floor is polished and reflects the overhead lights. On the right, more shelving units are visible, also stocked with boxes. The overall scene is brightly lit, emphasizing the cleanliness and efficiency of the equipment.

KÄRCHER

**DIRT WON'T
STAND A
CHANCE.**






Cover more ground, faster with this incredibly versatile ride-on scrubber.

PROFESSIONAL | B 260 RI FLOOR SCRUBBER

ACHIEVE EXCEPTIONAL PERFORMANCE FOR TOUGH, INDUSTRIAL CLEANING APPLICATIONS.

The B 260 RI is a heavy-duty ride-on floor scrubber delivering outstanding and consistent cleaning results, ideal for manufacturing, warehousing and transportation environments. This beefy scrubber features a steel frame with enhanced ram protection at the side brushes. A new drive engine with a 6.2 mph cleaning speed and dual vacuum motors results in better suction and drying, saving time and providing increased productivity. The 39 to 47-inch cleaning path uses cylindrical brushes strong enough to remove stubborn, heavy soils from floors. The B 260 RI features our next generation squeegee with resilient Linatex blades designed for safe, long-term use in industrial settings. Additional features include an auto-fill system, stainless steel floater protection and dirt tray, and a water spray hose as standard. The large diameter tank hose makes it quick and easy to empty, and it also has standard and side brush working lights for safety. The operator will find a comfortable seating area with a simple-to-use control panel and large display for clear overview of all functions and parameter settings. If you need a rugged scrubber capable of handling large cleaning tasks, the B 260 RI is for you!



1 6.2 mph cleaning speed

- Enables high area performance in a time-saving operation with more productivity.
- Utmost driver safety with automated speed regulation in turns.

2 Anti-corrosion industrial squeegee built to last

- Tear-resistant, long-lasting Linatex® squeegee blades for excellent drying results.
- Fast and simple tool-free replacement of the blades.
- Ergonomic handles in center of the assembly with quick release.
- Parabolic design helps channel water to the recovery point.

3 Simple controls and LCD displays

- Single dial to select mode of operation is intuitive and makes for easy training.
- Check power, pump, brush motor, vacuum motor, and reverse operation at a glance.
- Screen displays machine status, fault alerts, and service intervals.

4 Newly developed roller brush deck

- Robust steel housing for maximum strength and durability.
- Rollers can be changed in a matter of seconds without tools.
- Roller brush provides excellent cleaning results with 7 times the contact pressure compared to disc technology.

5 Includes two turbines as standard

- Excellent scrubbing results on all surfaces.
- Wear-free Ec vacuum motors. Optimized airflow with the newly developed squeegee.

Technical data and equipment.



		B 260 RI BP WITH R 100 HEAD	B 260 RI BP WITH D 100 HEAD	B 260 RI BP WITH R 120 HEAD	B 260 RI COMBO BP WITH R 120 HEAD
TECHNICAL SPECIFICATIONS					
Cleaning path	in	39	39	47	47
Brush quantity		2	2	2	2
Brush diameter	in	5	20	5	5
Squeegee width	in	47	47	53	53
Tank capacity (solution/recovery)	gal	69/69	69/69	69/69	69/69
Operating noise level (standard/ecol)	dBA	73/65	73/65	73/65	73/65
Total machine battery voltage	V	36	36	36	36
Down pressure	lbs	330	330	330	330
Brush speed (min/max)	rpm	600/1,250	140	600/1,250	1,250
Weight with batteries	lbs	2,756	2,756	2,800	3,240
Dimensions (L x W x H)	in	75 x 42 x 61	75 x 42 x 61	75 x 42 x 61	107 x 49.6 x 61
Productivity (practical/theoretical)	ft ² /hr	40,365/64,585	40,365/64,585	48,440/77,500	48,440/77,500
Minimum turning radius	in	84	84	84	57
Climbing ability (scrubbing/transport)	%	12/15	12/15	12/15	15
Max speed (scrubbing/transport)	mph	6.2/6.2	6.2/6.2	6.2/6.2	6.2/6.2

EQUIPMENT

Order No.	Description
9.879-011.0	B 260 RI BP, D100 Disc Scrub Deck, 45" Parabolic Squeegee, 36 V 390 Ah AGM Batteries, Shelf Charger
9.879-012.0	B 260 RI BP, R100 Cylindrical Scrub Deck, 45" Parabolic Squeegee, 36 V 390 Ah AGM Batteries, Shelf Charger
9.879-013.0	B 260 RI BP, R120 Cylindrical Scrub Deck 53" Parabolic Squeegee, 36 V 390 Ah AGM Batteries, Shelf Charger
9.879-014.0	B 260 RI BP, 2 SB, R100 Cylindrical Scrub Deck, 45" Parabolic Squeegee, 36 V 390 Ah AGM Batteries, Shelf Charger
9.879-062.0	B 260 RI BP, 2 SB, R120 Cylindrical Scrub Deck, 53" Parabolic Squeegee, 36V 390 Ah AGM Batteries, Shelf Charger
9.879-063.0	B 260 RI BP, 2 SB, R120 Cylindrical Scrub Deck, 53" Parabolic Squeegee, 36 V 650 Ah Steel Case Batteries, HE Shelf Charger
9.887-001.0	B 260 RI BP, R100 Cylindrical scrub deck, 45" Parabolic Squeegee, 36 V 650 Ah Steel Case Batteries, HE Shelf Charger

ACCESSORIES

Order No.	Description
■ 2.763-035.0	D100 Disc Head (depending on model selected)
■ 2.763-033.0	R100 Cylindrical Head (depending on model selected)
■ 2.763-034.0	R120 Cylindrical Head (depending on model selected)
■ 2.644-371.0	Side brush R100 (depending on model selected)
■ 2.644-372.0	Side brush R120 (depending on model selected)
■ 4.777-104.0	Parabolic squeegee, 45-inch (for D100 or R100 scrub head)
■ 4.777-110.0	Parabolic squeegee, 53-inch (for R120 head)
■ 4.250-137.0	Squeegee blade, 45-inch, Linatex® (for D100 or R100 scrub head)
■ 4.250-178.0	Squeegee blade, 53-inch, Linatex® (for R120 head)
□ 2.644-373.0	Side scrub deck (depending on model selected)
□ 2.643-843.0	Side brush spray nozzles
□ 2.643-849.0	Head guard, and warning beacon
□ 2.644-363.0	Warning beacon
□ 2.644-366.0	Spotlight blue (front)
□ 2.644-367.0	Spotlight blue (rear)
□ 2.644-369.0	Squeegee ram protection
□ 4.250-143.0	Squeegee blade, 45-inch, polyurethane (for D100 or R100 scrub head)
□ 4.250-179.0	Squeegee blade, 53-inch, polyurethane (for R120 head)

■ Included □ Optional

Please contact us for more information:

Kärcher U.S.A.

6398 N. Kärcher Way
Aurora, CO 80019
U.S.A.

Tel. 888-805-9852
Fax 800-248-8409



www.karcher.com/us/professional



KarcherUSA



@kaercher_us_professional



karchercommercial



karcher-us



KarcherUSA